

COD.	ARTICULO	DESCRIPCION	CARACTERISTICAS	STOCK
001343	KTK-15	Fuse LV US Fast	15A 600Vac 10x38 class CC	487
004921	RCH50R100R0JS06 (RCH 50 100U 5% R BA25 e3)	Resistor Thick Film, Power	50W-47.8x15.5x29.4	50
004953	T93XB503KT20 (T93 XB 50K 10% TU50 e3)	Trimmer Multiturn Cermet		24
006513	RWM04102201JA20E1 (RWM* 4X10 2K2 5% AM500 e1)	Resistor WW enamelled	RB59 - 3W-12x5.5 diam.	300
016308	UTE2737 KIT	Bracket for Capacitor	3 fijaciones 50 mm	570
021601	TSM43 YJ 1K 10% TR250	Trimmer Miniature SMD	OBSOLETO lo sustituye TSM4	245
027583	RPH100V27001JB (RPH 100 27K 5% V BO5 e)	Resistor Thick Film, Power	100W-150ppm-65.5x46.7	16
112104	SRC 30.265 100R 5%	Resistor WW Cemented	260W 3000V 265x32 diam.	6
112122	SRC 16.90 100R 5% + KIT 50 RV2	Resistor Cemented + Kit	50W 1250V 90x18 diam. (M5)	13
124203	E-SA8.00000F30E33F (HC49/S) - E49A8E0000014E	Crystal Low profile	8.00MHz 30Pf. -20+70º 30/30	5.700
124385	E-SB25.0000F30D33F (HC49/SM) - E49B25E00003YE	Crystal SMD Low profile	25.00Mhz 30Pf. -10+70º 30/30	14.000
124389	E-5FA27.0000F20D33 (HCX) - E5FA27E00000KE	Crystal Miniature SMD	27.0000Mhz 20pF -10+70º 30/30	3.000
140317	VUB1105W-4C53B-TR	LED SMD 3216	1206 azul	1.857
161844	ALS31A332KF250 (A431LM332M250A)	Capacitor Aluminium Electrolytic Screw terminal	3300uF 250V 51x105	84
161857	ALS31A1263MF (A431PM442M450A)	Capacitor Aluminium Electrolytic Screw terminal	4400uF 450V 66x105	208
161904	ALC40C222FP350 (A571JW222M350C)	Capacitor Aluminium Electrolytic Snap-in	2200uF 350V 45x105	112
1715010	170M5145	Fuse High Speed	550A 1250V 2/110 AR CU	1.032
1715028	170M3460	Fuse High Speed	63A 690V 1*BKN/50 AR UC	5
1715034	170M3972	Fuse High Speed	250A 1000V 1*kn/110 AR	198
1715047	170M1471	Fuse High Speed	250A 690V 000FU/70 AR UR	10
1715050	170M2673	Fuse High Speed	20A 1000V DIN 00 AR	1
171510	170M1422	Fuse High Speed	315A 690V 000TN/80 AR UC	1
1715304	170M7804	Fuse High Speed	1200A 1250V 4BKN/105 AR	6
1715322	170M7568	Fuse High Speed	3500A 1000V 24BKN/85 AR	47
1715323	170M3958	Fuse High Speed	250A 1000V 1BKN/75 AR	1
1715329	170M5321	Fuse	1000A 690V AR 2xKN/110	2
1715330	170M3273	Fuse	630A 690V AR 1xKN/110	12
171598	170M4264	Fuse High Speed	500A 690V 1KN/110 AR UC	6
171658	170M3070	Fuse High Speed	450A 690V 1*TN/80 AR UC	6
171673	170M7085	Fuse High Speed	3500A 690V 4BKN/65 AR	48
172537	170M6501	Fuse High Speed	1400A 1100V 3BKN/90 AR	6
198001	VO14642AABTR	Solid-State Relay	2A 60V 0.25ohms	1.000

COD. INELEC	ARTICULO	DESCRIPCION	CARACTERISTICAS	STOCK
200132	200MT	Fuse High Speed BS	200A 690V BS 88	20
2002986	FWH-125B	Fuse High Speed	125A 500V AC TAG	40
2002988	B9330515	Fuse		1
200509	24CAV2	Fuse Medium Voltage	24KV - 2A	1
2009116	LP-CC-10	Fuse LP class CC time-delay		10
200941	BK1/S506-1-R	Fuse Electronic EU slow		4.300
201287	22730-00	Fuse	ATC Circ.Breaker 30A, 28Vdc	237
201592	CH141DU	Fuse Holder	14x51 1P MFH	12
201623	SD2-D	Fuse Base		3
201633	SD3-D-PV	Fuse Holder Base	NH3 1p 1000V	204
2029107	PV1085-15A10F85L	Fuse + holder	PV-15A10F85L+ CHPV15L85 KIT	6.600
2029116	PV-30A10F85L	PV Fuse	30A 1500Vdc	3.560
202975	PV-5A10F	Fuse Photovoltaic	5A 1000Vdc 10x38mm	4
202979	PV-20A10F	Fuse Photovoltaic	20A 1000Vdc 10x38mm	240
203000	OM15009-76208	Terminal Block	MIL	50
203104	SB2XL-S-NS	Fuse PV Base	plástico - sin cubrebornas	335
203204	BSPH31000YPVR	SPD (Surge Protective Devices)	3Polos 1000V Señal Remota	14
260338	MK 1H 477 M 12 020 PH	Capacitor Aluminium Electrolytic Miniature	470uF-50V-105º-12.5x20-5R	1.200
260707	GL1H248Q35050SB	Capacitor Aluminium Electrolytic Screw	2400uF 50V 35x50mm	4
260708	GL2W378M76105SB	Capacitor Aluminium Electrolytic Screw	3700uF 450V 76,2x105mm	8
261100	DH5U308W60138TH100	Supercapacitors	2.7V-3000FD (60x138)	100
2980600	MLR25PRL 40MF 400V	Capacitor Motor start	D.F.& Metalic Stud M-12	1
430179	BFC236851224 (2222 368 51224 - MKT 368)	Capacitor Polyester	220nF ±10% 400Vdc R=22,5	1.000
430183	BFC236851474 (2222 368 51474 - MKT 368)	Capacitor Polyester	470nF ±10% 400Vdc R=22,5	2.000
430191	BFC236861104 (2222 368 61104 - MKT 368)	Capacitor Polyester	100nF ±10% 630Vdc R:22,5	2.973
430702	PR01 10R 5% A1	Resistor Power Metal film	0207-1W - 350V - Cu 0.6 - Ammo	2.000
431702	VJ1206Y104KXBTW1BC	Capacitor Ceramic SMD	1206-100nF-100V-10%-X7R	3.000
432113	MBB02070C2671FC100 (MMB 0207 50 1% B1 2K67)	Minimelf Resistor		1.000
4415124	D25 50 6K04 1% CRCW1206 ET1 e3	Resistor SMD		15.000
4424100	SMM02040C2264FB300	Resistor Minimelf	1/4W 50ppm	3.000
560113	LUR-3333H/S46-LTS-PF-TBS3	LED	5mm rojo 30º s/pin stop Min A2	3.190

COD. INELEC	ARTICULO	DESCRIPCION	CARACTERISTICAS	STOCK
5704114	10152589 (GB36 108.5 ME VORGEW)	Perfil	Drw008582 A	8
570483	10005874 (ABP 3060/15)		Rosca interna-M3-15mm	996
5706132	10019023 (SK 106 1000 SA)			1
5706283	10068363 (SK 464 300 AL-SL (Acc. to drawing))	Heatsink		1
5706301	10020629 (SK 481 50 SA)	Heatsink		300
5706423	10145891 (SK 99 50 SA-SL black anodised)	Heatsink	Disipador	3
5706429	10148118 (SK 416 200 SA SL (Drawing PN 0064 IGH 01	Heatsink		1
570980	10057030 (SL5/525/16/Z)		Macho 52,5mm 1 fila	286
5712118	10156263 (LAV 7 160 AL no fan)	Heatsink		1
571404	10081979 (ET 04 02 LP Drawing 9219-M-EF1-120 (10341	Box		2
571405	10090361 (ET 04 02 LP Drawing 9219-M-EF1-121(10341			2
5799060	10038976 (LB 04 G)		10.16mm	100
5799121	10065567 (THF2474)	Retaining springs for transistors	TO218-TO220-TO247-TO248-TO3P	80
5799127	10084864 (10092523 (drawing 001025586))		420mm	4
620156	KUS32GGLV-LF	LED PCB 2 niveles	verde/verde con polar.invert.	3
630328	RB 256 5K 5%		WIREWOUND RESISTORS	1
6501006	HS-100 470R 5%	Resistor WW Aluminium Housed	100W	5
6501010	HS100 660R J	Resistor WW Aluminium Housed	110 Watts Al Housed 660 Ohms 5	3
6501041	HS-50 50K 5%	Resistor WW Aluminium Housed	50W	1.240
6501108	HS-50 12R 5%	Resistor WW Aluminium Housed	50W	30
6501127	HS-25 22K 5%	Resistor WW Aluminium Housed	25W	25
6501136	HS-25 1K2 5%	Resistor WW Aluminium Housed	25W	39
6501145	HS-50 0R22 5%	Resistor WW Aluminium Housed	50W	35
6501160	HS-25 3R9 5%	Resistor WW Aluminium Housed	25W	75
6501216	HS-300 549R 1%	Resistor WW Aluminium Housed	300W	22
6501242	HS100 4K7 F	Resistor WW Aluminium Housed	Resistor WW Aluminium Housed	900
6501243	HS100 68K F	Resistor WW Aluminium Housed	Resistor WW Aluminium Housed	80
6501246	HS50 56R 1%	Resistor WW Aluminium Housed	Res. Bobinada c/Disip. 50W	160
650140	HS-50 18R 5%	Resistor WW Aluminium Housed	50W	1.410
6501554	HS 25F 1R 1% M404 200mm	Resistor WW Aluminium Housed	25W	125
650167	HS-100 330R 5%	Resistor WW Aluminium Housed	100W	20

COD. INELEC	ARTICULO	DESCRIPCION	CARACTERISTICAS	STOCK
650168	HS-150 10R 5%	Resistor WW Aluminium Housed	150W	570
650182	HS-25 1R5 5%	Resistor WW Aluminium Housed	25W	75
6501879	HS-50 0R33 5%	Resistor WW Aluminium Housed	50W	200
6501899	HS-50 1K5 5%	Resistor WW Aluminium Housed	50W	120
6501914	HS-100 22R 5%	Resistor WW Aluminium Housed	100W	133
6501932	HS-10 3R3 5%	Resistor WW Aluminium Housed	10W	10
6501948	HS-300 3K3 5%	Resistor WW Aluminium Housed	300W	15
650214	NHS-100F 2R2 5% M325 700mm (Drawing S021011)	Resistor WW Aluminium Housed Non Induct.	100W	100
650234	HS-10 140R 1%	Resistor WW Aluminium Housed	10W	10
650508	FPA100 167R K V2	Thick film resistor, Power	100 Watts Thick Film Version	10
720107	KD-1206-PHS-2-GN	Cooling Fan	60X60X15 12V S	1
720187	ME92252V1-000U-A99	Fan	92x92x25 24V Vapo	190
730108	5MS1S102AM2QES			250
750425	E50.R16-754N10	Capacitor Polypropylene	750uF 1100Vdc 116x165	259
7506110	E62.L95-753G10	Capacitor Polypropylene	75uF 840Vdc/500Vac 65x95	5
750694	E62.F10-501B20	Capacitor Polypropylene	0,5uF 4000Vac 45x105	13
750814	E50.L11-304N40	Capacitor Polypropylene	300uF 900Vdc 67x114mm	520
820202	GRF 20.165 L 10K 5%	Vitreous Enamelled and Cement Coated		3
840107	MHBS355470JSD	Capacitor Snubber	47uf 575Vdc 5% 35x50x42 20,3	20
880130	E1L53-AB1A6-05 Rank 6--3	LED	5mm azul 30 °	23.950
930303	CL10B103KB8NNNC	Ceramic Capacitor SMD	0603-10nF-50V-10%-X7R	2.020
991104	LL01CR-AFC1035L06-M2-T	Lenses for LED	adhesiva	60
992054	JR-101-1FRSG-03	Network Base + Interrupt. red		635
9920540	JR-101-1FRSG-03 (Preformado con fus. 1A)	Network Base + Interrupt. red		4
992110	166.7000.4752	Network Resistor + Transistor	Fusible automoción 7,5A 80V	1
996001	4-1904124-2 (655-V23074A1001A402)	Driver	25A 12Vdc 1 contacto NO	15
999951	2138622-1		RELAY CONTACTOR 135aH	4
999959	XHP-8 (172-4853)	Connector	HEMBRA 2.5mm, 8 contactos	1.000
999962	ECWFE2J334KA (105-1060)		Rectangular Can 15mm 105°C Amm	98
AR0115	C4BSNBX4200ZBLJ		2uF 1000Vdc 5%	118
AR0205	C4DRYAQ3470AA0J	Capacitor Polyprop. Axial Low Induction	5uF 1200Vdc	35

COD. INELEC	ARTICULO	DESCRIPCION	CARACTERISTICAS	STOCK
AR0300	C44UQGT7110G5SK	Capacitor Polypropylene	1100uF 1100Vdc 10%	179
AR0302	C44PLGR6500ZASJ	Capacitor Polypropylene	500uF 330Vac/500Vdc 5%	578
AR0310	C44UQGY6500F8SK	Capacitor Polypropylene	500uF 10%	12
AR0330	C44ASFP4300ZA0J	Capacitor Polypropylene	3uF 630Vac 5% 50X101	2
AR0337	C44AHGP5600ZB0J	Capacitor Polypropylene	60 Uf 600 V 5%	4
CH0100	FTX6.000M30SM-30/50DFF (HC-49/SMD)	Crystal Low profile	6.000MHz ±30ppm 30pF -40°+85°	3.000
CH0101	FTX32.768K12.5D8-20DFF24	Quartz Crystal Resonator	DT38 32.768KHz	2.000
CH0103	FTX16.000M30SM-30/30DFF	Quartz Crystal Resonator	49SMD16M 30PF 30/30PPM -40~85	2.000
CR0008	MPDCD3		3A - Op.3-60Vac - Ctr.3-32Vac	100
CRO156	84137021	Solid State Relay	GN IP20 SSR, 50A/240Vac, AC In	265
CRO169	CC2450W3U	Solid State Relay	Dual IP20 280VAC/50A, 4-32VDC,	40
DG0101	732-4649-1-ND	FERRITE BEAD 1.5 KOHM 0805 1LN	FERRITE BEAD 1.5 KOHM 805 1L	5
ERO612	PEH169KA4330QB2 (A472GC332Q040A)	Capacitor Aluminium Electrolytic	3300uF 40VDC -40+85° -10 +30%	1
ERO621	PEH200YX460BQU2(A351SW602Q450A V00B)	Capacitor Aluminium Electrolytic	6000uF 450V 75x220	4
HA01151	0906 248 6832	Connector DIN 41612 F	H.48V-B.Perfill-4.5mm-Press in	20
HA0119	0903 296 6861	Connector DIN 41612 C	H.-96V-Press in 13,2mm	160
HA0407	0956 252 5613 140	Connector Sub-D	H.Re-26V-Pat.azul (140)	331
HA0409	0956 262 5813 140	Connector Sub-D	M.Re-26V-Torn.4-40 UNC-P.Azul	174
HA0411	0956 162 5813	Connector Sub-D	M.Re-15V	59
HA0441	0969 201 5072	Connector Sub-D	H.recto 7W2	2
HA0502	0918 510 7803	Connector Flat cable SEK	Hembra-10Vías-Despl.Aislante	500
HA0504	0918 520 7803	Connector Flat cable SEK	Female-20Vías-Despl.Aislante	600
HA05101	0918 514 7904	Connector Flat cable SEK	M.Recto-14V-Ext.Largo-2.9mm-Cl	200
HA05129	0918 524 7904		M.Recto-24V-Extractor largo-Cl	200
HA06016	0914 008 3001	Module Han EE	Macho Crimpar 8 contactos	4
HA0605	0916 024 3001	Connector Industrial HAN DD	24V M. Crimpar	150
HA06159	0914 001 2762	Han-Modular female insert	HAN 1 MOD. Insertar Hembra	1
HA0656	0920 003 0445		H. HAN 3polos	10
HA0676	0914 001 4623		HAN 1 MOD-M RJ45	64
HA0677	0945 400 1560		HAN-MOD. RJ IND 10G CAT 6 IDC	8
HA99251	1930 024 0428	Hood Han B	Carcasa Han 24B entrad.suHCM40	16

COD. INELEC	ARTICULO	DESCRIPCION	CARACTERISTICAS	STOCK
HA99266	0999 000 0375	Hexagonal driver for axial screw	Herramienta hexagonal	1
HA9927	0933 000 6202		Cont.de potenc. Hembra 2.5	86
HA99303	1930 024 0528	Hood	HAN 24B HC 4 CLAVIJAS M40	17
HA99424	1900 000 5183	Cable gland	AbraHan GCM-P M20x1,5 D 6-12mm	10
HA99669	0967 002 9003	Front seal rubber	D Sub IP 67-25 junta frontal	25
HA99670	0967 002 9001	Front seal rubber	D Sub IP 67-9 junta frontal	100
HA99679	0900 000 5225	Easy Lock	Tamaño 16A	30
HA999161	6103 000 0143	Clamp Cable D-Sub	Cable Clamp D-Sub p/9-37 polos	8
HA99982	0933 000 6104		CON MACHO HAN E 1,5MM	80
HA9999994	0933 000 6114		Macho HanE 16A AWG 18	46
HD0100	MAB MKP 40/400III/E339	Capacitor Motor Start	40uF 450V 5% 45x116mm M8	56
HV0332	AB912 20 M017	Resistor	1R2 +/- 10%	110
KM0001	KMD01-DT6-DALI	Dimming Module	LED driver DALI 1.0	17
KM0100	KMB01	Bluetooth	Bluetooth 5.0 Module	42
KO0101	1.60kWh - KBM216_14S+SLPB78216216H(31Ah)+Slave	Battery System		5
KO0206	KCPM-A1010A	Power Module		1
MC0021	Radiador P30084A/210/OxN mecanizado s/plano (A18V)	Heatsink		124
MC0022	Radiador P30027/200 Mecanizado	Heatsink		2
MO0112	LDP-075M270H	Driver Outdoor Lighting	75W 90-305Vac/120-270Vdc IP67	43
MO0116	LDP-075R062H	Driver Outdoor Lighting	75W 90-305Vac/35-62Vdc IP67	9
MO01160	X6-105M150	Driver Out/Indoor Lighting	X6 105W 75-150Vdc 100-150V	100
MO01175	XCP-075M062	Driver Out/Indoor Lighting	75W 38-62Vdc IP67 Clase II	2
MO01176	XCP-075M108	Driver Out/Indoor Lighting	75W 54-108Vdc IP67 Clase II	2
MO01178	XCP-105M062	Driver Out/Indoor Lighting	105W 38-62Vdc IP67 Clase II	2
MO01179	XCP-105M150	Driver Out/Indoor Lighting	105W 75-150Vdc IP67 Clase II	2
MO01181	XCP-150M062	Driver Out/Indoor Lighting	150W 38-62Vdc IP67 Clase II	2
MO01182	XCP-150M214	Driver Out/Indoor Lighting	150W 107-214Vdc IP67 Clase II	2
MO01184	XCP-200M062	Driver Out/Indoor Lighting	200W 38-62Vdc IP67 Clase II	2
MO01185	XCP-200M286	Driver Out/Indoor Lighting	200W 143-286Vdc IP67 Clase II	1
MO01187	XCP-240M062	Driver Out/Indoor Lighting	240W 38-62Vdc IP67 Clase II	1
MO01188	XCP-240M343	Driver Out/Indoor Lighting	240W 171-343Vdc IP67 Clase II	1

COD. INELEC	ARTICULO	DESCRIPCION	CARACTERISTICAS	STOCK
MO0137	LDP-200R120	Driver Outdoor Lighting	200W 90-305Vac/60-120Vdc IP67	7
MO0140	LDP-240M062	Driver Outdoor Lighting	240W 90-305Vac/20-62Vdc IP67	5
MO0144	LDP-240R062	Driver Outdoor Lighting	240W 90-305Vac/20-62Vdc IP67	7
MO0156	LDP-042M045	Driver Lighting Ext/Ind.	42W 100-277Vac/24-45Vdc IP67	8
MO0165	MTP-200M068 M10 Ring Shell	Power supply	200W 90-305Vac/40-56Vdc IP67	200
MO0208	LTP-100M036	Driver Industrial Lighting	100W90-305Vac/14-36Vdc IP65	9
MO0309	LSV-150B012	Driver Landscape Lighting	150W 90-305Vac/12Vdc IP67	10
MO0313	LSV-200B024	Driver Landscape Lighting	200W 90-305Vac/24Vdc IP67	61
MO0317	LSV-320B012	Driver Landscape Lighting	320W 90-305Vac/12Vdc IP67	1
MO9903	IR Remote Control - Infrared control	IR Remote Control - Infrared control	Para series LDP, LUP, LCP, LHP	4
MO9908	MS-PRG-K1 ONE BUTTON	ONE BUTTON Programmer	Programmer X6	1
MP0112	034-1-008-D-M3T-XS0 (old MS 08 ST-S 37-4U)	Pins Header	8 contactos	2.100
MX0222	BCAP0325 P270 S17 (133523)	Ultracapacitor Large Cell	325F 2,7V	60
MX0310	BMOD0250 P016 (107168B)	Ultracapacitor Module	250F 16.2V	1
MX0337	BMOD0500 P016 B01 (109005B)	Ultracapacitor Module	500F 16.2V	15
MX0400	KIT for MC cell with M12 Terminals (104888)	Accesory		5
NI0234	NE2B757GT (W/P2,P3,P4,P5)	LED Lighting	Led azul	5.000
NI07165	NVSL219BT-V1 sw4055-sw4088/D280,D300/L1,L2/R70	LED Lighting	SMD Blanco cálido	7.000
NI07167	NTSL757DT-V1sw4055-sw4088/P10-11/L11-M22/R8000	LED Lighting	SMD Blanco cálido	792
NI07187	NTSW757DT-V1sw5055-sw5088/P10,P11/K11-L22/R8000	LED Lighting	SMD Blanco frio	80
NI07237	NVSL219CT sm303,sm3050a-sm3050f/D300,D320/L1,L2	LED Lighting	SMD Blanco cálido -Kitting	1.500
NI07273	NVSL219CT sm403,sm4050a-sm4050f/D300,D320,D340	LED Lighting	SMD Blanco cálido -Kitting	3.400
NI07294	NVSL219BT-V1 sw35/D160,D180,D200/L1,L2,M1/R9080	LED Lighting	SMD Blanco cálido	3.500
NI07352	NFSW757GT-V3 sm403,sm4050a-4050f/P11,P12/L11,L1	LED Lighting	SMD Blanco cálido- kitting	4.000
NI07355	NFSW757GT-V3 sm403 CRI80	LED Lighting	SMD Blanco cálido	10.000
NI07373	NVSW319BTsm403,sm4050a-sm4050f/D440f2,D480f2,L	LED Lighting	SMD Blanco frio	11.000
NI07445	NFMW488ART-V1 sm303,3050a-f/Pf0123/Kc6,Kg,Lh,Mg	LED Lighting	SMD Blanco frio	1.500
NI3497	AUDIOBUS PCB 24V (7944-46)			14
OH0107	SM104032005D1E	Resistor	20M 0.5% 10KVdc 1.5W-ARTECHE	2.500
PL0001	PK2N-3LME-HSD-(Flux bin S,Color Bin 1,2,3,4)	Power Led	3W Rojo	10.000
SE0211	SKKH 57/08	Diode modules	55A 800V	432

COD. INELEC	ARTICULO	DESCRIPCION	CARACTERISTICAS	STOCK
SE0214	SKKD 81/08	Diode modules	80A 800V	1.032
SH0201	SOFT CONNECTOR AND BOLTS	SOFT		53
SO0208	26990031	Accessory	Contacto Aux de precorte y señ	3
YM0125	EVR250A-24B	CONTACTOR RELAY 50 AMPER	250A c/contacto auxiliar	1
YM0302	EVH400A-24S	Bi-directional High voltage EV relay	1500V 400A	3
YM0316	EVHB500A-AS	Bi-directional relay	500A c/contacto auxiliar	20