

COD. INELEC	ARTICULO	DESCRIPCION	CARACTERISTICAS	STOCK
016308	UTE2737 KIT	Abrazadera para condensador	3 fijaciones 50 mm	570
MX0400	KIT for MC cell with M12 Terminals (104888)	Accesory		5
SO0208	26990031	Accessory	Contacto Aux de precorte y señ	3
HA99466	0914 000 9966	Adapter Han RJ4R5	Adaptador Han RJ45 Macho	64
YM0302	EVH400A-24S	Bi-directional High voltage EV relay	1500V 400A	1
YM0316	EVHB500A-AS	Bi-directional relay	500A c/contacto auxiliar	16
KM0100	KMB01	Bluetooth	Bluetooth 5.0 Module	42
HA99424	1900 000 5183	Cable gland	AbraHan GCM-P M20x1,5 D 6-12mm	10
261301	CB2R7468W30045SNBHE	Capacitor	Ucap/battery 4600F	2
161881	ALS30A1571MF (A331PM442M450AU28K)	Capacitor Aluminium Electrolytic	4400uF 450V 66x105	167
ER0612	PEH169KA4330QB2 (A472GC332Q040A)	Capacitor Aluminium Electrolytic	3300uF 40VDC -40+85° -10 +30%	1
ER0621	PEH200YX460BQU2(A351SW602Q450A V00B)	Capacitor Aluminium Electrolytic	6000uF 450V 75x220	4
260323	WL 1E 108 M 12 020 SS	Capacitor Aluminium Electrolytic Miniature	1000uF-25V-105°-12.5x20	900
260338	MK 1H 477 M 12 020 PH	Capacitor Aluminium Electrolytic Miniature	470uF-50V-105°-12.5x20-5R	1.200
260707	GL1H248Q35050SB	Capacitor Aluminium Electrolytic Screw	2400uF 50V 35x50mm	4
260708	GL2W378M76105SB	Capacitor Aluminium Electrolytic Screw	3700uF 450V 76,2x105mm	8
161857	ALS31A1263MF (A431PM442M450A)	Capacitor Aluminium Electrolytic Screw term	4400uF 450V 66x105	208
161904	ALC40C222FP350 (A571JW222M350C)	Capacitor Aluminium Electrolytic Snap-in	2200uF 350V 45x105	112
KE1425	C0805C220J5GAC-7800	Capacitor Ceramic SMD	0805-22pF-50V-5%-NP0	24.000
431702	VJ1206Y104KXBTW1BC	Capacitor Ceramic SMD	1206-100nF-100V-10%-X7R	3.000
2980603	MLR25PRL 8MF 400V	Capacitor Motor start	D.F. & metallic case Stud M-8	33
430191	BFC236861104 (2222 368 61104 - MKT 368)	Capacitor Polyester	100nF ±10% 630Vdc R:22,5	2.973
AR0205	C4DRYAQ3470AA0J	Capacitor Polyprop. Axial Low Induction	5uF 1200Vdc	35
750425	E50.R16-754N10	Capacitor Polypropylene	750uF 1100Vdc 116x165	259
7506110	E62.L95-753G10	Capacitor Polypropylene	75uF 840Vdc/500Vac 65x95	5
750814	E50.L11-304N40	Capacitor Polypropylene	300uF 900Vdc 67x114mm	520
750822	E50.R23-125N10	Capacitor Polypropylene	1150uF 1100Vdc 116x230	119
AR0300	C44UQGT7110G5SK	Capacitor Polypropylene	1100uF 1100Vdc 10%	179
AR0302	C44PLGR6500ZASJ	Capacitor Polypropylene	500uF 330Vac/500Vdc 5%	578
AR0330	C44ASFP4300ZA0J	Capacitor Polypropylene	3uF 630Vac 5% 50X101	2
AR0337	C44AHGP5600ZB0J	Capacitor Polypropylene	60 Uf 600 V 5%	4
840107	MHBS355470JJSD	Capacitor Snubber	47uf 575Vdc 5% 35x50x42 20,3	20
432002	VY2332M41Y5US6TV7	Ceram. Disc Capacitor	3,3nF 300VAC Y2 ±20% P10 Y5U	1.000
480691	VJ0805A101JXACW1BC	Ceramic capacitor SMD	0805-100pF-50V-5%-NPO	12.000
HC0000	HVC-15KV-DL16-F12.5-681K	Ceramic Disc Capacitor	680pF 15KV	100
HC0001	HVCT8G-30KV-E30-821M	Ceramic Disc Capacitor	820pF 30KV	40
HA999161	6103 000 0143	Clamp Cable D-Sub	Cable Clamp D-Sub p/9-37 polos	8
750607	E62.C81-102E40	Condensador	1uF 2800Vdc/1700Vac 30X81	3
AR0115	C4BSNBX4200ZBLJ	Condensador MKP	2uF 1000Vdc 5%	118

COD. INELEC	ARTICULO	DESCRIPCION	CARACTERISTICAS	STOCK
999962	ECWFE2J334KA (105-1060)	Condensador Poliprop. Metal.	Rectangular Can 15mm 105°C Amm	17
HA9927	0933 000 6202	Conector	Cont.de potenc. Hembra 2.5	86
HA99974	0920 000 9918	Conector	Tornillo IP65 HAN 3A M3X6	100
HA99991	0930 010 0391	Conector		32
HA0676	0914 001 4623	Conector	HAN 1 MOD-M RJ45	64
HA05128	0918 530 7324	Conector cable plano	M.Recto-30V-B.Perfil-CI	200
HA05129	0918 524 7904	Conector cable plano	M.Recto-24V-Extractor largo-CI	200
HA01151	0906 248 6832	Connector DIN 41612 F	H.48V-B.Perfill-4.5mm-Press in	20
HA05004	0918 506 7324	Connector Flat cable SEK	M.Recto-6V-B.Perfil-CI 2.9mm	100
HA0502	0918 510 7803	Connector Flat cable SEK	Hembra-10Vías-Despl.Aislante	500
HA0504	0918 520 7803	Connector Flat cable SEK	Female-20Vías-Despl.Aislante	600
HA1000	1521 032 2601 000	Connector HAR FLEX	str f 6.25mm 32p PL1 (280PCS)	3
HA0605	0916 024 3001	Connector Industrial HAN DD	24V M. Crimpar	150
HA0407	0956 252 5613 140	Connector Sub-D	H.Re-26V-Pat.azul (140)	331
HA0409	0956 262 5813 140	Connector Sub-D	M.Re-26V-Torn.4-40 UNC-P.Azul	174
HA0441	0969 201 5072	Connector Sub-D	H.recto 7W2	2
HA999999	0933 000 6114	Contacto Crimpar	Macho HanE 16A AWG 18	46
HA99982	0933 000 6104	Contacto especial macho	CON MACHO HAN E 1,5MM	80
YM0124	EVR10-24S	CONTACTOR RELAY 50 AMPER	10A	2
YM0125	EVR250A-24B	CONTACTOR RELAY 50 AMPER	250A c/contacto auxiliar	1
CH0100	FTX6.000M30SM-30/50DFF (HC-49/SMD)	Crystal Low profile	6.000MHz ±30ppm 30pF -40°+85°	3.000
124385	E-SB25.0000F30D33F (HC49/SM) - E49B25E00003YE	Crystal SMD Low profile	25.00Mhz 30Pf. -10+70° 30/30	14.000
YM0103	EVR250A-AS	DC High voltage EV relay	Cor.max.corte 250A-max.cc 500A	1
KM0001	KMD01-DT6-DALI	Dimming Module	LED driver DALI 1.0	17
SE0211	SKKH 57/08	Diode modules	55A 800V	432
570211	10035038 (FK 244 13D PAK)	Disipador		2
5706067	10020657 (SK 483 50 SA)	Disipador		20
5706132	10019023 (SK 106 1000 SA)	Disipador		1
570661	10020073 (SK 434 1000 SA)	Disipador		1
560404	LSD3564-20/A-PF	Display 7 seg. grei	7seg. 0.39" Gris a/c	6.510
MO0403	U6-200D286	Driver Indoor Lighting	200W 143-286Vdc IP20	98
MO0408	U7-120D172	Driver Indoor Lighting	D4i - 120W 75-172Vdc IP20	9
MO0208	LTP-100M036	Driver Industrial Lighting	100W90-305Vac/14-36Vdc IP65	9
MO0209	LTP-100M054	Driver Industrial Lighting	100W90-305Vac/21-54Vdc IP65	9
MO0212	LTP-240V062	Driver Industrial Lighting	240W90-305Vac/21-62Vdc IP65	2
MO9900	WPM-IR-LTR01 Ver:02	Driver IR Programmer (Cable)		1
MO0305	LSV-100B012	Driver Landscape Lighting	100W 90-305Vac/12Vdc IP67	18
MO0309	LSV-150B012	Driver Landscape Lighting	150W 90-305Vac/12Vdc IP67	10
MO0313	LSV-200B024	Driver Landscape Lighting	200W 90-305Vac/24Vdc IP67	61

COD. INELEC	ARTICULO	DESCRIPCION	CARACTERISTICAS	STOCK
MO0317	LSV-320B012	Driver Landscape Lighting	320W 90-305Vac/12Vdc IP67	1
MO0156	LDP-042M045	Driver Lighting Ext/Ind.	42W 100-277Vac/24-45Vdc IP67	8
MO01160	X6-105M150	Driver Out/Indoor Lighting	X6 105W 75-150Vdc 100-150V	100
MO01175	XCP-075M062	Driver Out/Indoor Lighting	75W 38-62Vdc IP67 Clase II	2
MO01178	XCP-105M062	Driver Out/Indoor Lighting	105W 38-62Vdc IP67 Clase II	2
MO01179	XCP-105M150	Driver Out/Indoor Lighting	105W 75-150Vdc IP67 Clase II	2
MO01181	XCP-150M062	Driver Out/Indoor Lighting	150W 38-62Vdc IP67 Clase II	2
MO01182	XCP-150M214	Driver Out/Indoor Lighting	150W 107-214Vdc IP67 Clase II	2
MO01184	XCP-200M062	Driver Out/Indoor Lighting	200W 38-62Vdc IP67 Clase II	2
MO01185	XCP-200M286	Driver Out/Indoor Lighting	200W 143-286Vdc IP67 Clase II	1
MO01187	XCP-240M062	Driver Out/Indoor Lighting	240W 38-62Vdc IP67 Clase II	1
MO01188	XCP-240M343	Driver Out/Indoor Lighting	240W 171-343Vdc IP67 Clase II	1
MO01126	X6-035M064	Driver Outdoor Lighting	X6 35W 20-64Vdc	59
MO0116	LDP-075R062H	Driver Outdoor Lighting	75W 90-305Vac/35-62Vdc IP67	9
MO0194	LDP-200M054-A	Driver Outdoor Lighting	200W 90-305Vac/20-41Vdc IP67	100
MO0137	LDP-200R120	Driver Outdoor Lighting	200W 90-305Vac/60-120Vdc IP67	7
MO0140	LDP-240M062	Driver Outdoor Lighting	240W 90-305Vac/20-62Vdc IP67	5
MO0150	LDP-320M457	Driver Outdoor Lighting	320W 90-305Vac/235-457Vdc IP67	6
720187	ME92252V1-000U-A99	Fan	92x92x25 24V Vapo	190
HA99669	0967 002 9003	Front seal rubber	D Sub IP 67-25 junta frontal	25
HA99670	0967 002 9001	Front seal rubber	D Sub IP 67-9 junta frontal	100
1715329	170M5321	Fuse	1000A 690V AR 2xKN/110	2
1715330	170M3273	Fuse	630A 690V AR 1xKN/110	12
201623	SD2-D	Fuse Base		3
201316	C10G20	Fuse Cylindrical Indust. gG/gL	10x38 - 20A	970
2004835	C10G1	Fuse Cylindrical Indust. gG/gL 10x38 mm	1A 500 Vac 10x38 mm	20
200486	C10G6	Fuse Cylindrical Indust. gG/gL 10x38 mm	6A 500 Vac 10x38 mm	40
171504	170M1412	Fuse High Speed	32A 690V 000TN/80 GR UC	5
1715050	170M2673	Fuse High Speed	20A 1000V DIN 00 AR	1
1715322	170M7568	Fuse High Speed	3500A 1000V 24BKN/85 AR	47
1715323	170M3958	Fuse High Speed	250A 1000V 1BKN/75 AR	1
172579	170M4461	Fuse High Speed	350A 690V 1BKN/50 AR UC	1
2002986	FWH-125B	Fuse High Speed	125A 500V AC TAG	40
1715047	170M1471	Fuse High Speed	250A 690V 000FU/70 AR UR	8
171534	170M1312	Fuse High Speed	32A 690V 000U/80 GR UC	92
172537	170M6501	Fuse High Speed	1400A 1100V 3BKN/90 AR	6
001313	100LET	Fuse High Speed BS	100A 240Vac BS88-4	10
200132	200MT	Fuse High Speed BS	200A 690V BS 88	20
200800	FNQ-30	Fuse LV US slow	30A 500Vac 10x38 mm	440

COD. INELEC	ARTICULO	DESCRIPCION	CARACTERISTICAS	STOCK
200509	24CAV2	Fuse Medium Voltage	24KV - 2A	1
2029100	PV-250A-2XL-15	Fuse Photovoltaic	250A 1500Vdc	44
2029122	PV-500A-3L-B-15	Fuse Photovoltaic	500A 1500Vdc	2
202975	PV-5A10F	Fuse Photovoltaic	5A 1000Vdc 10x38mm	4
202979	PV-20A10F	Fuse Photovoltaic	20A 1000Vdc 10x38mm	240
2029107	PV1085-15A10F85L	Fuse + holder	PV-15A10F85L+ CHPV15L85 KIT	6.600
001493	NSD2	Fuse BS Industrial gG	2A 550 Vac Industrial Offset B	5
1715304	170M7804	Fuse High Speed	1200A 1250V 4BKN/105 AR	6
171673	170M7085	Fuse High Speed	3500A 690V 4BKN/65 AR	48
201592	CH141DU	Fuse Holder	14x51 1P MFH	12
201633	SD3-D-PV	Fuse Holder Base	NH3 1p 1000V	204
2009115	LP-CC-6	Fuse LV class CC time-delay		10
203104	SB2XL-S-NS	Fuse PV Base	plástico - sin cubrebornas	335
200507	HVA-2	Fusible Media Tension	1kV 2A	20
HA06165	0914 012 2632	Han 1 male	HAN 12Mod-M-QL	142
HA99684	0914 024 0361	HAN Frame	Marco con bisagras para 6 mód.	32
HA99685	0914 024 0371	HAN Frame	Marco con bisagras para 6 mód.	32
HA99686	0914 010 0361	HAN Frame	Marco con bisagras para 3 mód.	32
HA99417	0912 002 2655	Han Q insert	Han Q 2/0-m 1,5qmm Macho	5
HA99419	0912 002 2755	Han Q insert	Han Q 2/0-f 1,5qmm Hembra	4
HA06161	0914 012 2732	Han-Modular female	HAN 12 Modular Hembra	128
HA06159	0914 001 2762	Han-Modular female insert	HAN 1 MOD. Insertar Hembra	1
570246	10035055 (FK 251 10 LF PAK)	Heatsink		100
5706123	10095337 (SK 155 50 SA-SL)	Heatsink		2
5706301	10020629 (SK 481 50 SA)	Heatsink		300
5706423	10145891 (SK 99 50 SA-SL black anodised)	Heatsink	Disipador	3
5712118	10156263 (LAV 7 160 AL no fan)	Heatsink		1
MC0000	0157000022896/RADIADOR PM27586/89	Heatsink	Disipador	7
HA99303	1930 024 0528	Hood	HAN 24B HC 4 CLAVIJAS M40	17
HA99433	1920 003 0427	Hood Han A	Capota Han 3A-GG-M20	10
HA99251	1930 024 0428	Hood Han B	Carcasa Han 24B entrad.suHCM40	16
HA99252	1930 010 0528	Hood Han B	Carcasa Han 10B entra Lat M40	32
HA99467	0930 024 0391	Hoods housings	Carcasa Han 24B HBM	32
730108	5MS1S102AM2QES	Interruptor deslizante		250
MO9902	MS-PRG-M1	IR Programmer	LDP/LCP/LUP version VMF-CLO	1
MO9903	WPM-IR-LTR01	IR Programmer	para LDP/LUP/LCP/LHP	4
OL0148	61-1130.0	Keylock switch actuator 2 positions IP65	Visor IP65	2
201700	MC-700	Kit 1 indicator + 2 clips		25
880130	E1L53-AB1A6-05 Rank 6--3	LED	5mm azul 30 °	23.950

COD. INELEC	ARTICULO	DESCRIPCION	CARACTERISTICAS	STOCK
620171	K384/YYGG	LED PCB	4 leds bajo consum acodado	100
140317	VUB1105W-4C53B-TR	LED SMD 3216	1206 azul	1.857
NI0234	NE2B757GT (W/P2,P3,P4,P5)	LED Lighting	Led azul	5.000
NI07165	NVSL219BT-V1 sw4055-sw4088/D280,D300/L1,L2/R70	LED Lighting	SMD Blanco cálido	7.000
NI07237	NVSL219CT sm303,sm3050a-sm3050f/D300,D320/L1,L2/R70	LED Lighting	SMD Blanco cálido -Kitting	1.500
NI07273	NVSL219CT sm403,sm4050a-sm4050f/D300,D320,D340/L1-	LED Lighting	SMD Blanco cálido -Kitting	3.400
NI07344	NFSW757GT-V3 sm503/P11,P12/R8000	LED Lighting	SMD Blanco frio	40.000
NI07353	NFSW757GT-V3 sm503,sm5050a-5050f/P11,P12/L11,L12/R8000	LED Lighting	SMD Blanco frio - kitting	25.000
NI07472	NF2W757HT-F1 sm403,sm4050a-4050f/P11,P12,P13/R70	LED Lighting	SMD Blanco cálido	1.000
NI07484	NVSW219FT-V2 sm303 D300/D320/D340/R8000	LED Lighting	SMD Blanco cálido	100
NI07488	NVSW219FT-V2 sm403,SM405 D300 D320 D340 R8000	LED Lighting	SMD Blanco cálido	150
NI07517	NCSWE13AT-V1 sm303R8000	LED Lighting	SMD Blanco frio	200
NI07519	NCSWE13AT-V1 sm503R8000	LED Lighting	SMD blanco cálido	200
880624	E1L5E-AG1A6-05 Rank 9-2	LED Oval	5mm Verde	1.245
AD01006	AS08024VB259100 (01967L6)	Maglev motor fan	80X80X25 24V IP55	7
570495	10145463 (ABM 3050 30)	Metallic Spacer	Rosca interna-M3-30mm	90
432113	MBB02070C2671FC100 (MMB 0207 50 1% B1 2K67)	Minimelf Resistor		1.000
201003	CH60J3	Modular Fuse- Holder	60A 600V 3 poles	1
750335	275.110-10301	Module for unloading	2X300KOHM	10
HA06016	0914 008 3001	Module Han EE	Macho Crimpar 8 contactos	4
016301	2741 KIT	Mounting Kit for Capacitor	2741 M12	140
MO9908	MS-PRG-K1 ONE BUTTON	ONE BUTTON Programmer		1
HA99679	0900 000 5225	Palanca de Bloqueo	Tamaño 16A	30
5703107	10037199 (ICK SMD M 19 SA)	Pin Heatsink		2
MP0112	034-1-008-D-M3T-XS0 (old MS 08 ST-S 37-4U)	Pins Header	8 contactos	2.100
010759	Galva Plus 400/650ml. (9345-AA)	Pintura de zinc	para galvanización en frio	12
PL0001	PK2N-3LME-HSD-(Flux bin S,Color Bin 1,2,3,4)	Power Led	3W Rojo	10.000
MO0165	MTP-200M068 M10 Ring Shell	Power supply	200W 90-305Vac/40-56Vdc IP67	200
HA06168	0945 245 1561	Pushpull connector RJ45	Conector Pushpull PFT V4 RJ45	2
2029131	PV-500A-3L-BU-15BU	PV Fuse	500A 1500Vdc bolt	4
CH0101	FTX32.768K12.5D8-20DFF24	Quartz Crystal Resonator	DT38 32.768KHz	2.000
CH0103	FTX16.000M30SM-30/30DFF	Quartz Crystal Resonator	49SMD16M 30PF 30/30PPM -40~85	2.000
CH0107	FTX6.000M30S-30/50DFF24	Quartz Crystal Resonator	6M 30PF 30PPM -40~85C	3.000
EA9908	(031882) ETR4-11-A	Relay	Relé	2
CR0008	MPDCD3	Relé estado sólido PCB	3A - Op.3-60Vac - Ctr.3-32Vac	100
630328	RB 256 5K 5%	Resistencia bobinada	WIREWOUND RESISTORS	1
HV0332	AB912 20 M017	Resistor	1R2 +/- 10%	110
442484	SMM0204 50 10M 1% B3	Resistor Minimelf	1/4W 50ppm	29.000
442634	SMM02040D2002BB300 (SMM0204 25 20K 0,1% B3)	Resistor Minimelf	1/4W 25ppm	3.000

COD. INELEC	ARTICULO	DESCRIPCION	CARACTERISTICAS	STOCK
4415124	D25 50 6K04 1% CRCW1206 ET1 e3	Resistor SMD		15.000
441600	D12 200 1M 5% CRCW0805 ET1 e3	Resistor SMD		5.000
441787	D12 100 1K47 1% CRCW0805 ET1 e3	Resistor SMD		5.000
446016	D10 100 47K 1% CRCW0402 ET7 e3	Resistor SMD		680.000
112122	SRC 16.90 100R 5% + KIT 50 RV2	Resistor Cemented + Kit	50W 1250V 90x18 diam. (M5)	13
027595	LPS0600L33R0KB (LPS 600 L 33U 10% BO15 e)	Resistor Thick Film, Power	600W No inductiva	45
004921	RCH50R100R0JS06 (RCH 50 100U 5% R BA25 e3)	Resistor Thick Film, Power	50W-47.8x15.5x29.4	50
027583	RPH100V27001JB (RPH 100 27K 5% V BO5 e)	Resistor Thick Film, Power	100W-150ppm-65.5x46.7	16
6501006	HS-100 470R 5%	Resistor WW Aluminium Housed	100W	4
6501010	HS100 660R J	Resistor WW Aluminium Housed		2
6501011	HS-50 330R 5%	Resistor WW Aluminium Housed	50W	760
6501031	HS-25 2K87 2%	Resistor WW Aluminium Housed	25W	15
6501041	HS-50 50K 5%	Resistor WW Aluminium Housed	50W	1.240
650106	HS-100 8R 5%	Resistor WW Aluminium Housed	100W	5
6501062	HS-200 82R 5%	Resistor WW Aluminium Housed	200W	18
6501122	HS-50 3K9 5%	Resistor WW Aluminium Housed	50W	60
6501127	HS-25 22K 5%	Resistor WW Aluminium Housed	25W	25
6501145	HS-50 0R22 5%	Resistor WW Aluminium Housed	50W	35
6501216	HS-300 549R 1%	Resistor WW Aluminium Housed	300W	6
6501242	HS100 4K7 F	Resistor WW Aluminium Housed	100W 4K7 1%	900
6501243	HS100 68K F	Resistor WW Aluminium Housed	100W 68K 1%	80
6501244	HS100 20K F	Resistor WW Aluminium Housed	HS-100 20K 1%	819
6501246	HS50 56R 1%	Resistor WW Aluminium Housed	50W 56R 1%	160
650140	HS-50 18R 5%	Resistor WW Aluminium Housed	50W	1.410
6501554	HS 25F 1R 1% M404 200mm	Resistor WW Aluminium Housed	25W	125
650168	HS-150 10R 5%	Resistor WW Aluminium Housed	150W	570
650182	HS-25 1R5 5%	Resistor WW Aluminium Housed	25W	75
650188	HS-50 10K 5%	Resistor WW Aluminium Housed	50W	260
6501898	HS-100F 22K 5% M325 700mm (Drawing S021011)	Resistor WW Aluminium Housed	100W	10
6501932	HS-10 3R3 5%	Resistor WW Aluminium Housed	10W	10
6501948	HS-300 3K3 5%	Resistor WW Aluminium Housed	300W	15
650234	HS-10 140R 1%	Resistor WW Aluminium Housed	10W	10
112104	SRC 30.265 100R 5%	Resistor WW Cemented	260W 3000V 265x32 diam.	6
003987	RWM 6x22 1R 5% AM250 e1	Resistor WW enamelled	RB57 - 7W-18x6.5 diam.	1.435
006363	RWM 4X22 680R 2% AM500	Resistor WW enamelled	RB61 - 5W-22.1x5.5 diam.	1.400
006442	RWM 4X22 6R8 5% AM500 e1	Resistor WW enamelled	RB61 - 5W-22.1x5.5 diam.	400
006630	RWM06341000JS09E1 (RWM 6X34 100U 5% BA50 e1)	Resistor WW enamelled	RB60 - 8W-33.7x7.4 diam.	50
579963	10007633 (THFA4)	Retaining Spring for Transistors		90
5799121	10065567 (THF2474)	Retaining springs for transistors	TO218-TO220-TO247-TO248-TO3P	80

COD. INELEC	ARTICULO	DESCRIPCION	CARACTERISTICAS	STOCK
579957	10155290 (THFA10)	Retaining springs for transistors	TO220-TO3P	90
HA99254	0947 474 7014	RJ45 Cable	RJI cable 4x2xAWG26/7 CAR5e PU	10
HA99265	0947 474 7016	RJ45 Cable	RJI cable 4x2xAWG26/7 CAR5e PU	10
620300	PL1771SR	Silicone Lense	Lente Silicona	10
840114	PHS2154120JJSD	Snubber Capacitor	1,2uF 1500VDC 5%	5
SH0201	SOFT CONNECTOR AND BOLTS	SOFT		53
CR0153	84137141	Solid State Relay	GN IP20 SSR, 100A/480Vac, AC	80
CR0169	CC2450W3U	Solid State Relay	Dual IP20 280VAC/50A, 4-32VDC,	40
CR0177	A2450GS	Solid State Relay	PM IP00 SSR 280VAC/50A,90-280V	20
198001	VO14642AABTR	Solid-State Relay	2A 60V 0.25ohms	1.000
203204	BSPH31000YPVR	SPD (Surge Protective Devices)	3Polos 1000V Señal Remota	14
261100	DH5U308W60138TH100	Supercapacitors	2.7V-3000FD (60x138)	100
SO0112	19GP4025	Switch SIRCO	4 poles 250 A- Motorizado	16
203000	OM15009-76208	Terminal Block	MIL	50
431102	NTCASCWE3102J (2381 640 73102)	Thermistor	NTC 1K 5%	285
027516	RPS0250DLR560JBZA3 (RPS 250D L U56 5% ZA3 BO15 e)	Thick Film Power Resistor	250ppm Fuerza dieléctrica 7KV	45
570980	10057030 (SL5/525/16/Z)	Tira de pines	Macho 52,5mm 1 fila	286
021601	TSM43 YJ 1K 10% TR250	Trimmer Miniature SMD		245
004944	T93XB102KT20 (T93 XB 1K 10% TU50 e3)	Trimmer Multiturn Cermet		800
004946	T93XB222KT20 (T93 XB 2K2 10% TU50 e3)	Trimmer Multiturn Cermet		800
004953	T93XB503KT20 (T93 XB 50K 10% TU50 e3)	Trimmer Multiturn Cermet		24
MX0222	BCAP0325 P270 S17 (133523)	Ultracapacitor Large Cell	325F 2,7V	60
MX0310	BMOD0250 P016 (107168B)	Ultracapacitor Module	250F 16.2V	1
820202	GRF 20.165 L 10K 5%	Vitreous Enamelled and Cement Coated		3