

COD	ARTICULO	DESCRIPCION	CARACTERISTICAS	STOCK
YM0328	EVHB100A-12P/G	Bi-directional relay	100A c/contacto auxiliar	2
260338	MK 1H 477 M 12 020 PH	Capacitor Aluminium Electrolytic Miniature	470uF-50V-105°-12.5x20-5R	1.200
260305	RZ 1J 107 M 10 020 PA	Capacitor Aluminium Electrolytic Miniature	100uF-63V-105°-10x20-R5	2.500
430183	BFC236851474 (2222 368 51474 - MKT 368)	Capacitor Polyester	470nF ±10% 400Vdc R=22,5	1.500
750829	E50.N35-225NT0	Capacitor Polypropylene	2150uF 700Vdc 85x348	45
999962	ECWFE2J334KA (105-1060)	Capacitor Polypropylene	Rectangular Can 15mm 105°C Amm	17
750425	E50.R16-754N10	Capacitor Polypropylene	750uF 1100Vdc 116x165	259
AR0300	C44UQGT7110G5SK	Capacitor Polypropylene	1100uF 1100Vdc 10%	179
750822	E50.R23-125N10	Capacitor Polypropylene	1150uF 1100Vdc 116x230	59
840158	MHBS704330KVP	Capacitor Polypropylene	3,3uF 1250V 10%	5
750208	E55.Q56-183T20	Capacitor Polypropylene	18uF 2800VDC 105X56	10
750862	E50.R29-115NT0	Capacitor Polypropylene	1090uF 1300Vdc 116x295	6
7508016	E50.R29-115NT0 (290mm)	Capacitor Polypropylene	1090uF 1300Vdc 116x290	2
HC0000	HVC-15KV-DL16-F12.5-681K	Ceramic Disc Capacitor	680pF 15KV	100
HC0001	HVCT8G-30KV-E30-821M	Ceramic Disc Capacitor	820pF 30KV	40
HA99125	0906 000 9985	Code Comb for Male Connector	D20 MACHO	100
HA01004	0902 264 6824	Connector Din 41612	H.Recta-64V-CI 2.9mm	260
HA05128	0918 530 7324	Connector Flat cable SEK	M.Recto-30V-B.Perfil-CI	200
HA05004	0918 506 7324	Connector Flat cable SEK	M.Recto-6V-B.Perfil-CI 2.9mm	100
HA9999994	0933 000 6114	Crimp contact	Macho HanE 16A AWG 18	46
CH0100	FTX6.000M30SM-30/50DFF (HC-49/SMD)	Crystal Low profile	6.000MHz ±30ppm 30pF -40°+85°	3.000
YM0103	EVR250A-AS	DC High voltage EV relay	Cor.max.corte 250A-max.cc 500A	1
YM0101	EVR100A-12S	DC High voltage EV relay	Cor.max.corte 125A-max.cc 150A	2
YM0110	EVR50A-12S	DC High voltage EV relay	50A	1
CR0210	DRA-3P48E4R	DIN Rail	24Vdc 480Vac 4A 3ph	10
SE0225	SKKH 122/16E	Diode modules	122A 1600V	3
MO0404	U6-165D236	Driver Indoor Lighting	165W 115-236Vdc IP20	354
MO0408	U7-120D172	Driver Indoor Lighting	D4i - 120W 75-172Vdc IP20	4
MO0409	U7-165D236	Driver Indoor Lighting	D4i - 165W 115-236Vdc IP20	1
MO0410	U7-200D286	Driver Indoor Lighting	D4i - 200W 143-286Vdc IP20	1
MO0400	U6-040D057	Driver Indoor Lighting	40W 20-57Vdc IP20	861
MO0401	U6-080D115	Driver Indoor Lighting	80W 35-115Vdc IP20	20
MO0405	U7-040D057	Driver Indoor Lighting	D4i - 40W 20-57Vdc IP20	7
MO0407	U7-080D115	Driver Indoor Lighting	D4i - 80W 35-115Vdc IP20	6
MO0191	MTP-160V054 M10 Ring Shell	Driver lighting Ext/Ind	160W 90-305Vac/27-54Vdc IP65	42

COD	ARTICULO	DESCRIPCION	CARACTERISTICAS	STOCK
MO01160	X6-105M150	Driver Out/Indoor Lighting	X6 105W 75-150Vdc 100-150V	100
MO01164	X6-150M214	Driver Out/Indoor Lighting	107-214 Vdc	35
MO01992	LCP-120D062	Driver Outdoor Lighting	120W 90~305Vac/20-62Vdc IP67	80
MO0104	LDP-200M054-B	Driver Outdoor Lighting	200W 40-54Vdc IP67	166
MO0220	LTP-200D062 DALI	Driver Outdoor Lighting DALI	200W 90-305Vac/21-62Vdc IP65	175
720191	PMD-2412-PMB-2-A(2) GN I55	Fan	120X120X38 24V B	3
990509	10160919 (8314 H)	Fan	80x80x32 24V	3.852
720300	MA2062-HVL-GN	Fan	60x60x25 220V	24
HA99114	0906 000 9902	Fixing Bracket A right for male connectors	ACC.FIJ.DCHA.	100
HA99116	0906 000 9907	Fixing Bracket BL for male connectors	ACC.FIJ.IZQ.MACHO	900
200507	HVA-2	Fuse	1kV 2A	20
2002141	FWP-200A	Fuse		2
2002988	B9330515	Fuse		1
201623	SD2-D	Fuse Base		3
1715322	170M7568	Fuse High Speed	3500A 1000V 24BKN/85 AR	47
1715323	170M3958	Fuse High Speed	250A 1000V 1BKN/75 AR	1
172579	170M4461	Fuse High Speed	350A 690V 1BKN/50 AR UC	1
2002990	FWA-700A	Fuse High Speed	700A 150V	2
172537	170M6501	Fuse High Speed	1400A 1100V 3BKN/90 AR	6
172578	170M5142	Fuse High Speed	400A 1250V 2/110 AR CU	200
1715010	170M5145	Fuse High Speed	550A 1250V 2/110 AR CU	200
1715028	170M3460	Fuse High Speed	63A 690V 1*BKN/50 AR UC	1
171408	BSF-160G-NH110-B	Fuse NH	160A 1000Vdc	3
202979	PV-20A10F	Fuse Photovoltaic	20A 1000Vdc 10x38mm	240
202975	PV-5A10F	Fuse Photovoltaic	5A 1000Vdc 10x38mm	4
2029100	PV-250A-2XL-15	Fuse Photovoltaic	250A 1500Vdc	44
201639	TD1-D	Fuse Base		28
001493	NSD2	Fuse BS Industrial gG	2A 550 Vac Industrial Offset B	5
200941	BK1/S506-1-R	Fuse Electronic EU slow		3.000
1715304	170M7804	Fuse High Speed	1200A 1250V 4BKN/105 AR	6
171673	170M7085	Fuse High Speed	3500A 690V 4BKN/65 AR	48
201814	JM60060-3CR	Fuse Holder		4
2009115	LP-CC-6	Fuse LV class CC time-delay		10
201522	4164	Fuseblock	Portafusible para ANL-150	18
MC0000	0157000022896/RADIADOR PM27586/89	Heatsink	Disipador	7

COD	ARTICULO	DESCRIPCION	CARACTERISTICAS	STOCK
5706387	10132986 (SK 481 40 SA)	Heatsink		75
570600	10020281 (SK 454 100 10XM3)	Heatsink	100mm TO220-SOT32 PCB	1
5706517	10021806 (SK 594 50 SA)	Heatsink		5
MC0025	P9725/205 (EP 000126-003-A-E)	Heatsink	Disipador	1
5712150	10165715 (LA 17 350 AL)	Heatsink	350mm	1
YM0118	EVR400A-AS/G	High Voltage EV Relay	400A c/contacto auxiliar	2
759911	200.050-A20970	Holder		10
HA99244	0993 001 0502	Hood Angled	Han® S-HA (16mm)-red	1
AN0501	10000 28001-LF	IC Socket	IC Socket 28pin 2,54x7,62	231
620171	K384/YYGG	LED PCB	4 leds bajo consum acodado	100
620156	KUS32GGLV-LF	LED PCB 2 niveles	verde/verde con polar.invert.	3
NI07344	NFSW757GT-V3 sm503/P11,P12/R8000	LED Lighting	SMD Blanco frio	40.000
NI07488	SW219FT-V2 sm403,SM405 D300 D320 D340 R8	LED Lighting	SMD Blanco cálido	150
NI07517	NCSWE13AT-V1 sm303R8000	LED Lighting	SMD Blanco frio	200
NI07519	NCSWE13AT-V1 sm503R8000	LED Lighting	SMD blanco cálido	200
NI07569	NF2W757GR-V5 4000K	LED Lighting	SMD Blanco cálido	100
NI07612	NVSWE21AT-V1E ES001ZID240L2R9050	LED Lighting	SMD Blanco cálido	200
HA99982	0933 000 6104	Male Contact	CON MACHO HAN E 1,5MM	30
750335	275.110-10301	Module for unloading	2X300KOHM	10
HA06016	0914 008 3001	Module Han EE	Macho Crimpar 8 contactos	4
620324	KNAC0407BSM	Nactus SMALL Optical System	50mm x 50mm 4 len pas 25,4 mm	270
9920540	JR-101-1FRSG-03 (Preformado con fus. 1A)	Network Base + Interrupt. red		4
SH0102	148N50B - NCM Cell (3.7V/50Ah) - Welding Versio	Power Module	Welding version	3
MO0163	MTP-120M054 M10 Ring Shell	Power supply	120W 90-305Vac/27-42Vdc IP67	130
HA06168	0945 245 1561	Pushpull connector RJ45	Conector Pushpull PFT V4 RJ45	2
2029131	PV-500A-3L-BU-15BU	PV Fuse	500A 1500Vdc bolt	4
2029116	PV-30A10F85L	PV Fuse	30A 1500Vdc	3.260
2029119	PV-20A10F85L	PV Fuse	20A 1500Vdc	13.449
CH0101	FTX32.768K12.5D8-20DFF24	Quartz Crystal Resonator	DT38 32.768KHz	2.000
CH0103	FTX16.000M30SM-30/30DFF	Quartz Crystal Resonator	49SMD16M 30PF 30/30PPM -40~85	2.000
CH0107	FTX6.000M30S-30/50DFF24	Quartz Crystal Resonator	6M 30PF 30PPM -40~85C	3.000
SE0203	SKKD 260/12	Rectifier Diode modules	260A 1200V	2
SE0200	SKKE 162/12	Rectifier Diode modules	160A 1200V	6
DE0501	DSW-A5K0005	Relay Module	Sub-D Macho 37P	2
DE0502	DM72-DBK-15-15-4Y-00Z(H)	Relay Module	Sub-D Macho 37P	2

COD	ARTICULO	DESCRIPCION	CARACTERISTICAS	STOCK
442634	MM02040D2002BB300 (SMM0204 25 20K 0,1% B	Resistor Minimelf	1/4W 25ppm	3.000
4416108	D12 200 10K 5% CRCW0805 ET1 e3	Resistor SMD		5.000
003086	200V15R0KBUA1 (RTOP 200 15U 10% V UA1 B	Resistor Thick Film, Power	200W-38x25x12.5	10
007785	RCH50S4R700JS06 (RCH 50 4U7 5% S BA25 e3	Resistor Thick Film, Power	50W-47.8x15.5x29.4	50
6501948	HS-300 3K3 5%	Resistor WW Aluminium Housed	300W	15
6501010	HS100 660R J	Resistor WW Aluminium Housed		2
6501127	HS-25 22K 5%	Resistor WW Aluminium Housed	25W	25
6501216	HS-300 549R 1%	Resistor WW Aluminium Housed	300W	6
6501062	HS-200 82R 5%	Resistor WW Aluminium Housed	200W	18
6501122	HS-50 3K9 5%	Resistor WW Aluminium Housed	50W	60
6501879	HS-50 0R33 5%	Resistor WW Aluminium Housed	50W	180
6501124	HS-300 100R 5%	Resistor WW Aluminium Housed	300W	84
6501200	HS-300 24K 5%	Resistor WW Aluminium Housed	300W	10
6501119	HS-50 560R 5%	Resistor WW Aluminium Housed	50W	100
650113	HS-100 100R 5%	Resistor WW Aluminium Housed	100W	5
6501987	HS-300 470R 5%	Resistor WW Aluminium Housed	300W	6
6501160	HS-25 3R9 5%	Resistor WW Aluminium Housed	25W	25
650214	-100F 2R2 5% M325 700mm (Drawing S021	Resistor WW Aluminium Housed Non Induct	100W	80
112104	SRC 30.265 100R 5%	Resistor WW Cemented	260W 3000V 265x32 diam.	6
579963	10007633 (THFA4)	Retaining Spring for Transistors		90
579957	10155290 (THFA10)	Retaining springs for transistors	TO220-TO3P	90
620300	PL1771SR	Silicone Lense	Lente Silicona	10
CR0177	A2450GS	Solid State Relay	PM IP00 SSR 280VAC/50A,90-280V	20
CR0153	84137141	Solid State Relay	GN IP20 SSR, 100A/480Vac, AC	46
CR0154	84137131	Solid State Relay	GN IP20 SSR, 75A/480Vac, AC In	60
CR0008	MPDCD3	Solid State Relay PCB	3A - Op.3-60Vac - Ctr.3-32Vac	100
SO0112	19GP4025	Switch SIRCO	4 poles 250 A- Motorizado	16
004946	T93XB222KT20 (T93 XB 2K2 10% TU50 e3)	Trimmer Multiturn Cermet		800
004887	T93YB253KT20 (T93 YB 25K 10% TU50 e3)	Trimmer Multiturn Cermet		500
004876	T93YB102KT20 (T93 YB 1K 10% TU50 e3)	Trimmer Multiturn Cermet		300
004762	T18105KT10 (T18 1M 10% TU e3)	Trimmer Multiturn Cermet		75
003916	T73YE501KT20 (T73 YE 500U 10% TU e3)	Trimmer single turn sealed		1.000
002133	T73YE502KT20 (T73 YE 5K 10% TU e3)	Trimmer single turn sealed		650
MX0114	Módulo Ultracaps 93F 86V (sistema 32S1P)	Ultracond. Large Cell	Con Celda Maxwell 3000F 2,7V	6